



CODEMARK™

Product description:

The Rubbermite termite management system comprises various components:

- Rubber crumb particles,
- Various PVC components including penetration collars,
- Epoxy glues and sealants

Product purpose or use:
A perimeter cavity, under slab and penetrations physical termite management system to deter concealed entry by subterranean termites into a building.

Certificate holder:

RAYDIATE PTY LTD
 ACN 113013693
 16 Freighter Ave.
 TOOWOOMBA QLD 4350

Codemark certification body:

Bio Technology Australasia
 (ACN 111 217 559) Trading as
 "CertMark Australasia"
 JAS-ANZ Accreditation No. Z4450210AK
 Address: P.O. Box 7144, Slippy Downs, QLD, 4556
 Website: www.certmark.com.au

CERTIFICATE OF CONFORMITY

This is to certify that

Rubbermite™ Termite Management System

Complies with the Building Code of Australia.

1. Volume One: SP1.1 and SP1.2 (limited only to actions by subterranean termites).
 2. Volume Two: P2.1 (limited only to actions by subterranean termites).
 3. State Additions: Volume Two: QLD P2.1.1 (limited only to actions by subterranean termites).
- Subject to the following conditions and limitations:

1. The Rubbermite termite management system is to be installed by licensed installers trained and approved by an Australasian Institute of Pest Management Training or a Raydiate Pty Ltd nominated trainer.
2. The Rubbermite termite management system is to be installed in accordance with the Rubbermite Installation Manual version 1 October 2010.
3. The Rubbermite termite management system when used across a perimeter cavity must finish at least 75mm above the surrounding finished ground level except at full height windows and doorways where the inspection zone may be reduced as outlined in the respective installation manual.
4. The Rubbermite collars are to be installed on service pipe penetrations as outlined in the Rubbermite installation manual.
5. The Rubbermite termite management system has not been assessed to be installed north of the Tropic of Capricorn. Rubbermite is not to be installed north of the Tropic of Capricorn as stated in the Rubbermite installer manual Manual version 1 October 2010.
6. The concrete slab must be constructed in accordance with the requirements of AS 2870-1995 Residential slabs and footings - Construction (as amended) or AS 3600 2001 - Concrete Structures (AS 2870-1996).
7. Inspections are undertaken annually in accordance with the Rubbermite Technical manual to determine that no bridging or breaching of the barrier has occurred.
8. Rubbermite conforms to the requirements of AS 3660-1:1995 as called-up by the Building Code of Australia.

John Thorpe MIA (Aust)
 Director
 CertMark Australasia

Kevin Dairson M, SC
 Unrestricted
 Building Certifier

12/4/2011 12/4/2014 CM-11-A0006

Date of issue Date of expiry Certificate Number



* This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

* It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au

WWW.JAS-ANZ.COM/AU/REGISTER